INNOVATIVE CLAMPING SYSTEM





FASTMILL® PATENTED SYSTEM - ADVANTAGES

Increased productivity, decreased production costs and flexibility in operations are concrete purposes, directly measurable by adopting a system which is able to exceed industry expectations in a short time. Thanks to its easy-to-use products, FASTMILL® ensures a rapid return on investments by standardizing machining processes of complex elements too.

CLAMPING TIME REDUCTION

During CAD or CAM programming, it is possible to choose where to mount FASTMILL® elements on the workpieces, and eventually on the machine table; this allows to arrange everything without interrupting machining processes.

HIGH CLAMPING FORCE

FASTMILL® modules are designed to tolerate extremely high axial and radial loads. Permissible loads depending on the type of application are mentioned in the user manual.

MAXIMUM ACCURACY IN REPOSITIONING

FASTMILL® is developed and manufactured in stringent temperature and humidity controlled environments to guarantee system accuracy both in dimensions and positioning repeatability.

PRECISE POSITIONING REPEATABILITY

Tolerances of all FASTMILL® parts have been defined to ensure a positioning accuracy that avoids any waste of time in moving the workpiece after clamping.

SYSTEM FOR WORKPIECE REPOSITIONING WITHOUT TENSIONING

FASTMILL® offers a patented solution to work pieces after they have been thermally processed, and ensures the repositioning and clamping without applying stress on even finer, smaller work pieces.

SETUP TIME REDUCTION

PLANNING - CAD/CAM

Planning and finalize the best clamping solution during your CAD/CAM process.
3D Model of the whole range available.



ROUGHING DEEP HOLES DRILLING FINISHING / EDM - CMM


Five free faces of the work piece can be machined without interference. Less set up needed.
Easy to coupling and easy to rise up.



NO CLAMPING LIMITS

Workpieces free positioning from vertical to horizontal. 0°-180°








≥30%

www.fastmill.it www.fastmill.it

Single modules Ø49 combination example











STANDARD 12.9 (DIN912) SCREW




SINGLE MODULE Ø49 (1,96")


BUSH




PLATE


Single module combination example








Vertical clamping for HEAVY PARTS set



Vertical clamping and POSITIONING set




www.fastmill.it www.fastmill.it

Third clamping point set + Magnetic System




Third clamping point set + Magnetic System



ADVANTAGES

- Can be positioned in all directions
- Push & Pull micro regulations
- Quick Set Up
- Strong & Stiff
- No vibration
- Extendable


THIRD POINT



TECHNICAL DATA

- Clamping force 1 ton
- For all types of magnetic surfaces






8 www.fastmill.it

Tilting module Ø90 with 10° hirth







FASTMILL® PATENTED SYSTEM - PRODUCTS





PINS AND BUSHES



















) www.fastmill.it

FASTMILL WORKS IN A VARIETY OF INDUSTRIAL SEGMENTS THANKS TO THE GREAT VERSATILITY OF ITS PHILOSOPHY. DESIGNED TO MEET THE NEEDS OF EVERY CUSTOMER BY MODULAR AND SMART CLAMPING IDEAS.





REM INDUSTRIE S.r.I.

HEAD OFFICE, MANUFACTURING AND WAREHOUSE via Enrico Fermi, 18 30036 Santa Maria di Sala Venezia - Italy Phone +39 041 5760461 info@fastmill.it REGISTERED OFFICE via Cavazzana, 5 35123 Padova, Italy Società a Responsabilità Limitata Partita IVA 03939640284 REA 349251 NORTH AMERICAN SALES/SERVICE OFFICE AND WAREHOUSE 37046 Industrial Rd. Livonia - Detroit MI 48150, USA Phone +1 734 466 8555 Info.america@fastmill.it

